(in accordance with Regulation (EU) 2020/878)

OLIOL 68



Version 1 Date of compilation: 29/01/2019 Page 1 of 10
Version 12 (replaces version 11) Revision date: 23/10/2023 Print date: 23/10/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: OLIOL 68

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Transmission oil Compressor oil Gear Oil

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: OLIPES SL

Address: C/ ALUMINIO, 2-3 (Parque Empresarial Borondo)
City: Campo Real - 28510

 City:
 Campo Real - 2851

 Province:
 Madrid (Spain)

 Telephone:
 +0034918765244

 Fax:
 +0034918733886

 E-mail:
 calidad@olipes.com

 Web:
 www.olipes.com

1.4 Emergency telephone number: (Only available during office hours; Monday-Friday; 08:00-18:00)

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008:

Acute Tox. 4: Harmful if swallowed. Eye Irrit. 2: Causes serious eye irritation. Skin Irrit. 2: Causes skin irritation.

2.2 Label elements.

Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:



Signal Word:

Warning

Hazard statements:

H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation.

Precautionary statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P302+P352 IF ON SKIN: Wash with plenty of water/...

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P321 Specific treatment (if possible visit your doctor with the safety data sheet for this product).

(in accordance with Regulation (EU) 2020/878)

OLIOL 68



Version 1 Date of compilation: 29/01/2019 Page 2 of 10
Version 12 (replaces version 11) Revision date: 23/10/2023 Print date: 23/10/2023

P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with the legislation in force.

Contains:

Poly[oxy(methyl-1,2-ethanediyl)], α -butyl- ω -hydroxy-

2.3 Other hazards.

Identifiers	Name	PBT,vPvB or endocrine disrupting properties substances (concentration >=0,1%)
Index No: 602-095-00-X CAS No: 85535-85-9 EC No: 287-477-0	alkanes, C14-17, chloro; chlorinated paraffins, C14-17	PBT substance vPvB substance

PBT: Persistente, Bioacumulable y Tóxica. mPmB: muy Persistente y muy Bioacumulable.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification - Regulation (EC) No 1272/2008	
Identifiers	Name	Concentrate	Classification	Specifics concentration limits and Acute toxicity estimate
CAS No: 9003-13-8	Poly[oxy(methyl-1,2-ethanediyl)],α-butyl-ω- hydroxy-	24 - 99.99 %	Acute Tox. 4, H302 - Eye Irrit. 2, H319 - Skin Irrit. 2, H315	-
Index No: 602-095- 00-X CAS No: 85535-85-9 EC No: 287-477-0 Registration No: 01- 2119519269-33-XXXX	[3] [4] [5] alkanes, C14-17, chloro, chlorinated paraffins, C14-17	0.1 - 0.249 %	Aquatic Acute 1, H400 (M=1) - Aquatic Chronic 1, H410 (M=1) - Lact., H362	-
CAS No: 68411-46-1 EC No: 270-128-1 Registration No: 01- 2119491299-23-XXXX	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	0.1 - 2.99 %	Aquatic Chronic 3, H412 - Repr. 2, H361	-

^(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

SECTION 4: FIRST AID MEASURES.

^{*,**} See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

^[2] Substance with a national workplace exposure limit (see section 8.1).

^[3] PBT Substance (Persistent, Bioaccumulative and Toxic.).

^[4] vPvB Substance (very Persistent and very Bioaccumulative).

^[5] Substance included in the list established under Article 59, paragraph 1, REACH (Candidate substance).

(in accordance with Regulation (EU) 2020/878)

OLIOL 68



Version 1 Date of compilation: 29/01/2019 Page 3 of 10
Version 12 (replaces version 11) Revision date: 23/10/2023 Print date: 23/10/2023

IRRITANT MIXTURE. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

Skin contact

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Irritant Product, repeated or prolonged contact with skin or mucous membranes can cause redness, blisters or dermatitis, inhalation of spray mist or particles in suspension may cause irritation of the respiratory tract, some symptoms may not be immediate.

Harmful Product, prolonged exposure due to inhalation may cause anaesthetic effects and the need for immediate medical assistance.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract.

SECTION 5: FIREFIGHTING MEASURES.

The product does not present any particular risk in case of fire.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

(in accordance with Regulation (EU) 2020/878)

OLIOL 68



Version 1 Date of compilation: 29/01/2019 Page 4 of 10 Version 12 (replaces version 11) Revision date: 23/10/2023 Print date: 23/10/2023

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Professional use. Industry.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
alkanes, C14-17, chloro, chlorinated paraffins, C14-17	DNEL	Inhalation, Chronic, Systemic effects	6,7
CAS No: 85535-85-9	(Workers)		(mg/m³)
EC No: 287-477-0			
Benzenamine, N-phenyl-, reaction products with	DNEL	Inhalation, Chronic, Systemic effects	4,37
2,4,4-trimethylpentene	(Workers)		(mg/m³)
CAS No: 68411-46-1			, ,
EC No: 270-128-1			

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

(in accordance with Regulation (EU) 2020/878)

OLIOL 68



Version 1 Date of compilation: 29/01/2019 Page 5 of 10
Version 12 (replaces version 11) Revision date: 23/10/2023 Print date: 23/10/2023

Version 12 (replaces version 11) Revision date: 23/10/2023 Print date: 23/10/2023

Transmission oil compressor oil gear oil	Concentration:	100 %		
Disparation Compressor oil Gear Oil	Concentration.			
Presenting protection:	Uses:			
PPE: Filter mask for protection against gases and particles. Characteristics: CEN standards: EN 136, EN 140, EN 405 Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Altach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer. PPE: Protective gloves against chemicals. **CE» marking, category III. EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may after their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Fortective goggles with built-in frame. **CEN marking, category III. Eye protector with built-in frame for protection against dust, smoke, fog and vapour. EN 165, EN 166, EN 167, EN 168 Maintenance: Skin protection: PPE: **Characteristics: CEN standards: Namintenance: **CEN marking, category III. Protective clothing. **CEN marking, category III. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 360, EN 166, EN 167, EN 168 Maintenance: Noser signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. ***Skin protection: ***Protective clothing. ***CEN marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 360, EN 360, EN 360, Category III. Protective clothing should not be too ti		·		
Characteristics: CEN marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight. EN 136, EN 140, EN 405 Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer. PPE: PPE: Protective gloves against chemicals. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Experpotection: PPE: Protective goggles with built-in frame. CEP marking, category II. Eve protector with built-in frame for protection against dust, smoke, fog and vapour. EN 165, EN 166, EN 167, EN 168 Waintenance: Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. PPE: Protective clothing. CEP standards: No war footwar the user's movements. EN 340 Maintenance: No of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. Work footwear. CEN standards: No of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. Work footwear. CEP marking, category II. EN 130 13287, EN 20347 This prod				
Anatomically designed form in order to be sealed and watertight. EN 136, EN 140, EN 405 Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer. Hand protection: PPE: Protective gloves against chemicals. «CE» marking, category III. EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride): Breakthrough time (min.): **Eye protection:** PPE: Protective goggles with built-in frame. «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour. EN 165, EN 166, EN 167, EN 168 Maintenance: Bring the day of the protections of war and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: Protective dothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer: The protective clothing, should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activi	PPE:			
Maintenance: Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer. PPE: Protective gloves against chemicals. (CE» marking, category III. Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) PPE: Protective goggles with built-in frame. (CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour. CEN standards: EN 165, EN 166, EN 167, EN 168 Maintenance: Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: Protective clothing. (CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer: The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. Work footwear. CEN standards: EN 374. In 374-2, EN 374-3, EN 20347 This product adapts to the first user's foot shape. That is why, as		«CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.		
attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer. PPE: Protective gloves against chemicals. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Observations: Observations: PVC (polyvinyl chloride) Protective goggles with built-in frame. (CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour. EN 165, EN 166, EN 167, EN 167, EN 168 Wisibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. PPE: Protective clothing. CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 Maintenance: National of the protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. Work footwear. The protective clothing should offer a level of comfort in line with the level of protection provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. Work	CEN standards:			
PI-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer. Pitter Type needed: Hand protection: PPE: Protective gloves against chemicals. CEN standards: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Pretective goggles with built-in frame. «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour. EN 165, EN 166, EN 167, EN 168 Maintenance: CBN standards: CEN stan	Maintenance:	attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach		
Hand protection: PPE: Protective gloves against chemicals. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Protective goggles with built-in frame. "CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour. CEN standards: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear: Work footwear for professional use includes protection elements aimed at protecting users against any		P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.		
PPE: Protective gloves against chemicals. CEN standards: EN 374-1, EN 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time (min.): PPE: Protective goggles with built-in frame. «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour. CEN standards: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: Protective clothing. CCE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CEN standards: EN SIO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any		A2		
CEN standards: CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time (min.): Eye protection: PPE: Protective goggles with built-in frame. «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour. EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. «CE» marking, category II. Sol 3287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any		Dystostivo alavos against abouriagle		
CEN standards: EN 374-1, EN 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. PVC (polyvinyl chloride) PVC (polyvinyl chloride				
Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time (min.): PVE (polyvinyl chloride) PVC (polyvinyl chloride) PVC (polyvinyl chloride) Breakthrough time (min.): PVE (polyvinyl chloride) PVC (polyvinyl chloride) Breakthrough time (min.): PVE (polyvinyl chloride) PVC (polyvinyl chloride) Breakthrough time (min.): PVE (polyvinyl chloride) Breakthrough time (min.): PVE (polyvinyl chloride) PVC (polyvinyl chloride) Breakthrough time (min.): Breakthrough time (min.): PA80 Maintenance: PVC (polyvinyl chloride) PVC (polyvinyl chloride) PVC (polyvinyl chloride) Breakthrough time (min.): Breakthrough time (min.): PA80 Maintenance: PVT (polyvinyl chloride) PVC (polyvinyl chloride) PVE (polyvinyl chloride) Breakthrough time (min.): Breakthrough time (min.): PA80 Maintenance: Nose signs of wear and tear include: Protector with built-in frame for protection against dust, smoke, fog and vapour. Some signs of wear and tear include: Polycon character's instructions goalinst dust, smoke, fog and vapour. Some signs of wear and tear include: Polycon character's instructions. Some signs of wear and tear include: Polycon character's instructions. Some signs of wear and tear include: Polycon character's instructions of the lenses, superficial scratching of the le		"CL" Harning, Category 111.		
Maintenance: Observations: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. Material: PVC (polyvinyl chloride) PVE (polyvi	CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420		
Always use with clean, dry hands. Material: PVC (polyvinyl chloride) PPE: Protective goggles with built-in frame. «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour. EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: Characteristics: CEN standards: PRE: Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CE» marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	Maintenance:	Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or		
FYC (polyViriy chloride) (min.): 3 480 (mm): 0,33 Fye protection: PPE: Protective goggles with built-in frame. «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour. EN 165, EN 166, EN 167, EN 168 Maintenance: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 Maintenance: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CE» marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	Observations:	Always use with clean, dry hands.		
PPE: Protective goggles with built-in frame. CLA standards: CEN standards: EN 165, EN 166, EN 167, EN 168 Maintenance: Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: Protective clothing. CLA standards: EN 340 Maintenance: Maintenance: Discrete the superior of the understandards: EN 340 Maintenance: Maintenance: Discrete the superior of activity and the expected time of use. PPE: Work footwear. CEN standards: EN 340 Maintenance: The protective clothing should offer a level of comfort in line with the level of protection provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CEN standards: EN ISO 13287, EN 20347 Maintenance: Work footwear for professional use includes protection elements aimed at protecting users against any		PVU (DOIVVIDVI CHIOTIDE) I		
Characteristics: CEN standards: Maintenance: Observations: PPE: Characteristics: CEN standards: Maintenance: Protective clothing. CEN standards: CEN standards: CEN standards: CEN standards: Protective clothing. CEN at potentials: CEN standards: CEN stand				
dust, smoke, fog and vapour. CEN standards: EN 165, EN 166, EN 167, EN 168 Maintenance: Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: Protective clothing. Characteristics: CEN standards: EN 340 Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: (CE» marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	PPE:			
CEN standards: Maintenance: Observations: Skin protection: PPE: Characteristics: CEN standards: Maintenance: Observations: Protective clothing. CEN standards: EN 340 Maintenance: Observations: EN 340 Maintenance: Maintenance: Maintenance: Maintenance: Maintenance: Maintenance: CEN standards: Maintenance: Maintenance: Characteristics: CEN standards: Maintenance: Maintenance: More for the lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CEN standards: KEN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	Characteristics:			
be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. Skin protection: PPE: Characteristics: CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CE» marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	CEN standards:	EN 165, EN 166, EN 167, EN 168		
Skin protection: PPE: Protective clothing. Characteristics: CEN standards: EN 340 Maintenance: The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. PPE: Work footwear. Characteristics: «CE» marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	Maintenance:			
Skin protection: PPE:	Observations:	, , , , , , , , , , , , , , , , , , , ,		
Characteristics: CEN standards: Maintenance: Descriptions: CEN marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CEN standards: EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	Skin protection:			
order not to obstruct the user's movements. CEN standards: Maintenance: Maintenance: Descriptions: Order not to obstruct the user's movements. EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CE» marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	PPE:			
Order not to obstruct the user's movements. EN 340 Maintenance: The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: CEN standards: Maintenance: Observations: Observations: Order not to obstruct the user's movements. EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. CES» marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	Characteristics:			
Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: CE» marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any				
the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: CEN standards: Maintenance: Maintenance: Cheservations: Work footwear for professional use includes protection elements aimed at protecting users against any	CEN Standards:			
Observations: terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPE: Work footwear. Characteristics: «CE» marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	Maintenance:	the manufacturer.		
PPE: Work footwear. Characteristics: «CE» marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	Observations:	terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level		
Characteristics: «CE» marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	PPE:			
CEN standards: Maintenance: Maintenance: Cheservations: EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any				
not be used by other people. Observations: Not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	CEN standards:	EN ISO 13287, EN 20347		
	Maintenance:	not be used by other people.		
	Observations:			

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

${\bf 9.1 \ Information \ on \ basic \ physical \ and \ chemical \ properties.}$

Physical state: Liquid

Colour: Not applicable/Not available due to the nature/properties of the product

(in accordance with Regulation (EU) 2020/878)

OLIOL 68



Version 1 Date of compilation: 29/01/2019 Page 6 of 10
Version 12 (replaces version 11) Revision date: 23/10/2023 Print date: 23/10/2023

Odour: Mild

Odour threshold: Not applicable/Not available due to the nature/properties of the product

Melting point: < -50 °C

Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product

Flammability: Not applicable/Not available due to the nature/properties of the product Lower explosion limit: Not applicable/Not available due to the nature/properties of the product Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: >250 °C

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product Decomposition temperature: Not applicable/Not available due to the nature/properties of the product

pH: Not applicable/Not available due to the nature/properties of the product

Kinematic viscosity: 68 cSt a 40°C

Solubility: Alcohols

Hydrosolubility: Dispersible

Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: Not applicable/Not available due to the nature/properties of the product Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 1.00

Relative vapour density: Not applicable/Not available due to the nature/properties of the product Particle characteristics: Not applicable/Not available due to the nature/properties of the product

9.2 Other information

Not applicable/Not available due to the nature/properties of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid.

Avoid any improper handling.

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

SECTION 11: TOXICOLOGICAL INFORMATION.

IRRITANT MIXTURE. Splashes in the eyes can cause irritation.

IRRITANT MIXTURE. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

There are no tested data available on the product.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

a) acute toxicity;

Product classified:

Acute toxicity (Oral), Category 4: Harmful if swallowed.

(in accordance with Regulation (EU) 2020/878)

OLIOL 68



Version 1 Date of compilation: 29/01/2019 Page 7 of 10
Version 12 (replaces version 11) Revision date: 23/10/2023 Print date: 23/10/2023

Acute Toxicity Estimate (ATE):

Mixtures:

ATE (Oral) = 504 mg/kg

b) skin corrosion/irritation;

Product classified:

Skin irritant, Category 2: Causes skin irritation.

c) serious eye damage/irritation;

Product classified:

Eye irritation, Category 2: Causes serious eye irritation.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Based on available data, the classification criteria are not met.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

11.2 Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name	Bioaccumulation			
Name	Log Pow	BCF	NOECs	Level
alkanes, C14-17, chloro, chlorinated paraffins, C14-17	7,4 2.152	_	Very high	
CAS No: 85535-85-9 EC No: 287-477-0		2.132	_	very mgn

(in accordance with Regulation (EU) 2020/878)

OLIOL 68



Version 1 Date of compilation: 29/01/2019 Page 8 of 10
Version 12 (replaces version 11) Revision date: 23/10/2023 Print date: 23/10/2023

12.4 Mobility in soil.

No information is available about the mobility in soil. The product must not be allowed to go into sewers or waterways. Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

Waste classification according to the European Waste Catalogue:

13 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19)

13 02 waste engine, gear and lubricating oils

13 02 06 synthetic engine, gear and lubricating oils

Waste classified as hazardous.

SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

14.1 UN number or ID number.

Transportation is not dangerous.

14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport. IMDG: Not classified as hazardous for transport.

ICAO/IATA: Not classified as hazardous for transport.

14.3 Transport hazard class(es).

Transportation is not dangerous.

14.4 Packing group.

Transportation is not dangerous.

14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): Not applicable.

14.6 Special precautions for user.

Transportation is not dangerous.

14.7 Maritime transport in bulk according to IMO instruments.

Not classified as hazardous for transport.

(in accordance with Regulation (EU) 2020/878)

OLIOL 68



Version 1 Date of compilation: 29/01/2019 Page 9 of 10
Version 12 (replaces version 11) Revision date: 23/10/2023 Print date: 23/10/2023

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H362	May cause harm to breast-fed children.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Classification codes:

Acute Tox. 4: Acute toxicity (Oral), Category 4

Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1 Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1 Aquatic Chronic 3 : Chronic effect to the aquatic environment, Category 3

Eye Irrit. 2 : Eye irritation, Category 2 Lact. : Effects on or via lactation

Repr. 2 : Reproductive toxicant, Category 2 Skin Irrit. 2 : Skin irritant, Category 2

Changes regarding to the previous version:

- Removal of precautionary statements/hazard statements/pictograms/signal word (SECTION 2.2).
- Modification of specific hazards (SECTION 2.3).
- Changes in the composition of the product (SECTION 3.2).
- Changes in the composition of the product (SECTION 3.2).
- Changes in the composition of the product (SECTION 3.2).
- Modification in the firefighting measures (SECTION 5.2).
- Modifications in the accidental release measures (SECTION 6.1).
- Elimination of exposure data (SECTION 8.1).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Change in the hazard classification (SECTION 11.1).
- Elimination of ecological information values (SECTION 12.3).
- Addition of ecological information values (SECTION 12.3).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).
- Elimination of abbreviations and acronyms (SECTION 16).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: Physical hazards

On basis of test data

(in accordance with Regulation (EU) 2020/878)

OLIOL 68



Version 1 Date of compilation: 29/01/2019 Page 10 of 10
Version 12 (replaces version 11) Revision date: 23/10/2023 Print date: 23/10/2023

Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

BCF: Bioconcentration factor.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration. PPE: Personal protection equipment. LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

NOEC: No observed effect concentration.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/ Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a quarantee of its properties.