(in accordance with Regulation (EU) 2020/878)

ANTICONGELANTE 50% G12 +



Version 1 Date of compilation: 10/03/2020 Page 1 of 11
Version 18 (replaces version 17) Revision date: 15/02/2023 Print date: 15/02/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: ANTICONGELANTE 50% G12 +

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Coolant

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: OLIPES SL

Address: C/ ALUMINIO, 2-3 (Parque Empresarial Borondo)

City: Campo Real - 28510
Province: Madrid (Spain)
Telephone: +0034918765244
Fax: +0034918733886
E-mail: calidad@olipes.com
Web: www.olipes.com

1.4 Emergency telephone number: (Only available during office hours; Monday-Friday; 08:00-18:00) Servicio de Información Toxicológica (Instituto Nacional de Toxicología y Ciencias Forenses) Teléfono: +34 91 5620420. Información en español (24h/365 días). Únicamente con la finalidad de proporcionar respuesta sanitaria en caso de urgencia.

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008:

Acute Tox. 4: Harmful if swallowed.

STOT RE 2: May cause damage to organs through prolonged or repeated exposure.

2.2 Label elements.

Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:





Signal Word:

Warning

Hazard statements:

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P264 Wash your hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P314 Get medical advice/attention if you feel unwell.

P330 Rinse mouth.

P501 Dispose of contents/container in accordance with the legislation in force.

(in accordance with Regulation (EU) 2020/878)

Olipes The Professionals' Lubricants

Page 2 of 11

ANTICONGELANTE 50% G12 +

Version 1 Date of compilation: 10/03/2020 **Version 18 (replaces version 17)** Revision date: 15/02/2023 Print date: 15/02/2023

Contains: ethanediol, ethylene glycol

2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification - Regulation (EC) No 1272/2008	
Identifiers	Name	Concentrate	Classification	Specifics concentration limits and Acute toxicity estimate
Index No: 603-027- 00-1 CAS No: 107-21-1 EC No: 203-473-3 Registration No: 01- 2119456816-28-XXXX	[1] [2] ethanediol, ethylene glycol	25 - 74.99 %	Acute Tox. 4, H302 - STOT RE 2, H373	-
Index No: 011-002- 00-6 CAS No: 1310-73-2 EC No: 215-185-5 Registration No: 01- 2119457892-27-XXXX	[2] sodium hydroxide, caustic soda	0 - 0.499 %	Eye Dam. 1, H318 - Met. Corr. 1, H290 - Skin Corr. 1A, H314	Skin Corr. 1A, H314: $C \ge 5$ % Skin Corr. 1B, H314: 2 % $\le C$ < 5 % Skin Irrit. 2, H315: 0,5 % $\le C < 2$ % Eye Irrit. 2, H319: 0,5 % $\le C < 2$ %

^(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

Skin contact.

^[1] Substance with a European Union exposure limit in the workplace (see section 8.1).

^[2] Substance with a national workplace exposure limit (see section 8.1).

(in accordance with Regulation (EU) 2020/878)

ANTICONGELANTE 50% G12 +



Version 1 Date of compilation: 10/03/2020 Page 3 of 11
Version 18 (replaces version 17) Revision date: 15/02/2023 Print date: 15/02/2023

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Harmful Product, prolonged exposure due to inhalation may cause anaesthetic effects and the need for immediate medical assistance.

Long-term chronic exposure may result in injury to certain organs or tissues.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Keep the person comfortable. Turn him/her over to the left side and stay there while waiting for medical care.

SECTION 5: FIREFIGHTING MEASURES.

The product does not present any particular risk in case of fire.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

(in accordance with Regulation (EU) 2020/878)

Olipes The Professionals' Lubricants

ANTICONGELANTE 50% G12 +

Version 1 Date of compilation: 10/03/2020 Page 4 of 11
Version 18 (replaces version 17) Revision date: 15/02/2023 Print date: 15/02/2023

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Profesional use only. Automotive, Industry, Transport, Off-Highway Machinery.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m³
	107-21-1	España [1]	Eight hours	20(Vía dérmica)	52(Vía dérmica)
			Short term	40(Vía dérmica)	104(Vía dérmica)
		European	Eight hours	20 (skin)	52 (skin)
athanodial athulana alveal		Union [2]	Short term	40 (skin)	104 (skin)
ethanediol, ethylene glycol		United Kingdom [3]	Eight hours	20 (vapour)	10 (particulate) 52 (vapour)
		Kiliguolii [5]	Short term	40 (vapour)	104 (vapour)
		Éire [4]	Eight hours	20	52
			Short term	104	40
		Ecnaña [1]	Eight hours		
		España [1]	Short term		2
		United	Eight hours		
		Kingdom [3]	Short term		2
		Éire [4]	Eight hours		
andium hydrovida, anustic sada	1210 72 2		Short term		2
sodium hydroxide, caustic soda	1310-73-2	United States	Eight hours	(Ceiling) 2	
		[5] (Cal/OSHA)	Short term		
		United States	Eight hours		(Ceiling) 2
		[6] (NIOSH)	Short term		
		United States	Eight hours		2
		[7] (OSHA)	Short term		

^[1] Según la lista de Valores Límite Ambientales de Exposición Profesional adoptados por el Instituto Nacional de Seguridad y Salud en el Trabajo (INSST) para el año 2022.

^[2] According both Binding Occupational Esposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

^[3] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive.

^[4] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

^[5] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

(in accordance with Regulation (EU) 2020/878)

ANTICONGELANTE 50% G12 +



Page 5 of 11

Version 1 Date of compilation: 10/03/2020

Version 18 (replaces version 17) Revision date: 15/02/2023 Print date: 15/02/2023

[6] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.
[7] Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).
The product does NOT contain substances with Biological Limit Values.
Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
ethanediol, ethylene glycol	DNEL	Inhalation, Chronic, Local effects	35
CAS No: 107-21-1	(Workers)		(mg/m³)
EC No: 203-473-3			
andium budunuida anustia anda	DNEL	Inhalation, Chronic, Local effects	1 (mg/m ³)
sodium hydroxide, caustic soda	(Workers)		
CAS No: 1310-73-2 EC No: 215-185-5	DNEL	Inhalation, Chronic, Local effects	1 (mg/m³)
EC NO: 213-103-3	(Consumers)		, ,,

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable

8.2 Exposure controls.

minimum.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %				
Uses:	Coolant				
Breathing protect	ion:				
PPE:	Filter mask for protection against gases and particles.				
Characteristics:	«CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.				
CEN standards:	EN 136, EN 140, EN 405				
Maintenance:	Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor.				
Observations:	Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.				
Filter Type needed:	A2				
Hand protection:					
PPE:	Protective gloves against chemicals.				
Characteristics:	«CE» marking, category III.				
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420				
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.				
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.				
Material:	PVC (polyvinyl chloride) Breakthrough time (min.): Breakthrough time (min.): Material thickness (mm):				
Eye protection:					
PPE:	Protective goggles with built-in frame.				
Characteristics:	«CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.				
CEN standards:	EN 165, EN 166, EN 167, EN 168				
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.				
Observations:	Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.				
Skin protection:					
PPE:	Protective clothing.				

(in accordance with Regulation (EU) 2020/878)

ANTICONGELANTE 50% G12 +



Version 1 Date of compilation: 10/03/2020 Page 6 of 11 **Version 18 (replaces version 17) Revision date: 15/02/2023** Print date: 15/02/2023

«CE» marking, category II. Protective clothing should not be too tight or loose in Characteristics:

order not to obstruct the user's movements.

CEN standards: EN 340

In order to guarantee uniform protection, follow the washing and maintenance instructions provided by Maintenance:

the manufacturer.

The protective clothing should offer a level of comfort in line with the level of protection provided in Observations:

terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level

of activity and the expected time of use.

PPE: Work footwear.

«CE» marking, category II. Characteristics: CEN standards: EN ISO 13287, EN 20347

This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should Maintenance:

not be used by other people.

Work footwear for professional use includes protection elements aimed at protecting users against any Observations:

injury resulting from an accident

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Physical state: Liquid

Colour: lila

Odour: Not applicable/Not available due to the nature/properties of the product

Odour threshold: Not applicable/Not available due to the nature/properties of the product

Melting point: < = -35 °C

Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: >145 °C

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: >105 °C

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product Decomposition temperature: Not applicable/Not available due to the nature/properties of the product

pH: 8.0-9.0 (100%)

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: Alcohols Hydrosolubility: Complete

Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: Not applicable/Not available due to the nature/properties of the product Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 1.07

Relative vapour density: Not applicable/Not available due to the nature/properties of the product Particle characteristics: Not applicable/Not available due to the nature/properties of the product

9.2 Other information

Not applicable/Not available due to the nature/properties of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Unstable in contact with:

- Acids.
- Bases.
- Oxidizing agents.

10.3 Possibility of hazardous reactions.

In certain conditions this may cause a polymerization reaction.

(in accordance with Regulation (EU) 2020/878)

ANTICONGELANTE 50% G12 +



Page 7 of 11

Version 1 Date of compilation: 10/03/2020

Version 18 (replaces version 17) Revision date: 15/02/2023 Print date: 15/02/2023

10.4 Conditions to avoid.

Avoid the following conditions:

- Heating.
- High temperature.
- Contact with incompatible materials.

10.5 Incompatible materials.

Avoid the following materials:

- Acids.
- Bases.
- Oxidizing agents.

10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- COx (carbon oxides).
- Organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

Toxicological information about the substances present in the composition.

Name	Acute toxicity				
Name	Type	Test	Kind	Value	
	Oral			4700 mg/kg bw [1] fessional'nye Zabolevaniya. Labor Diseases. Vol. 26(6), Pg. 28, 1982	
ethanediol, ethylene glycol	Dermal	LD50 Rabbit 10600 mg/kg bw [1] [1] Toxicology of Drugs and Chemicals, Deichmann, W.B., New York, Academic Press, Inc., 1969Vol, Pg. 731, 1969			
CAS No: 107-21-1 EC No: 203-473-3	Inhalation				
sodium hydroxide, caustic soda	Oral	experiment	Rabbit nyn-Schmiedebielle Pathologie 184, 587-604	· ,,	
	Dermal				
CAS No: 1310-73-2 EC No: 215-185-5	Inhalation				

a) acute toxicity;

Product classified:

Acute toxicity (Oral), Category 4: Harmful if swallowed.

Acute Toxicity Estimate (ATE):

Mixtures:

ATE (Oral) = 943 mg/kg

b) skin corrosion/irritation;

Based on available data, the classification criteria are not met.

c) serious eye damage/irritation;

Based on available data, the classification criteria are not met.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

(in accordance with Regulation (EU) 2020/878)

Olipes The Professionals' Lubricants

ANTICONGELANTE 50% G12 +

Version 1 Date of compilation: 10/03/2020 Page 8 of 11 Version 18 (replaces version 17) Revision date: 15/02/2023 Print date: 15/02/2023

e) germ cell mutagenicity; Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Product classified:

Specific target organ toxicity following a repeated exposure, Category 2: May cause damage to organs through prolonged or repeated exposure.

j) aspiration hazard;

Not conclusive data for classification.

11.2 Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

Nama	Ecotoxicity					
Name	Туре	Test	Kind	Value		
	Fish	LC50 Fish 54700 mg/l (96 h) [1] [1] Mayes, M.A., H.C. Alexander, and D.C. Dill 1983. A Study to Assess the Influence of Age on the Response of Fathead Minnows in Static Acute Toxicity Tests. Bull.Environ.Contam.Toxicol. 31(2):139-147. Greene, M.W., and R.M. Kocan 1997. Toxicological Mechanisms of a Multicomponent Agricultural Seed Protectant in the Rainbow Trout (Oncorhynchus mykiss) and Fathead Minnow				
ethanediol, ethylene glycol	Aquatic invertebrates	(Pimephale LC50 [1] Gersich Park 1986. Straus, 182 Arch.Enviro I.T. Takaha the Effect c and Ceriod	rs promelas). Can.J.I. Crustacean F.M., F.A. Blanchar. The Precision of Da. O) Static Acute Toxicon.Contam.Toxicol. 1. ashi, and S.L. Appleg. of Four Benchmark C. aphnia dubia affinis res. Environ.Toxicol.	Fish.Aquat.Sci. 54:1387-1390 41000 mg/l (48 h) [1] d, S.L. Applegath, and C.N. phnid (Daphnia magna		
CAS No: 107-21-1 EC No: 203-473-3	Aquatic plants					
sodium hydroxide, caustic soda	Fish	Minimal Lethal Concentra tion	Notropis sp.	100 mg/L (120 h) [1]		

(in accordance with Regulation (EU) 2020/878)

ANTICONGELANTE 50% G12 +



Version 1 Date of compilation: 10/03/2020 Page 9 of 11
Version 18 (replaces version 17) Revision date: 15/02/2023 Print date: 15/02/2023

			[1] Van Horn et al. (1949), Effects of Kraft Mill Wastes, American Fisheries Society			
		Aquatic invertebrates	LC50	Ophryotrocha diadema r JG (1984), Wat Res,	33 mg/L (48 h) [1] 18, 865-868	
CAS No: 1310-73-2	EC No: 215-185-5	Aquatic plants				

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name		Bioaccumulation				
		Log Pow	BCF	NOECs	Level	
ethanediol, ethylene glycol		-1,36	_	_	Very low	
CAS No: 107-21-1	EC No: 203-473-3	-1,30	-	-	very low	

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

Waste classification according to the European Waste Catalogue:

14 WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (EXCEPT 07 AND 08)

14 06 waste organic solvents, refrigerants and foam/aerosol propellants

14 06 03 other solvents and solvent mixtures

Waste classified as hazardous.

SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

(in accordance with Regulation (EU) 2020/878)

ANTICONGELANTE 50% G12 +



Page 10 of 11

Version 1 Date of compilation: 10/03/2020 Print date: 15/02/2023

Version 18 (replaces version 17) Revision date: 15/02/2023

14.1 UN number or ID number.

Transportation is not dangerous.

14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport. IMDG: Not classified as hazardous for transport.

Not classified as hazardous for transport. ICAO/IATA:

14.3 Transport hazard class(es).

Transportation is not dangerous.

14.4 Packing group.

Transportation is not dangerous.

14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): Not applicable.

14.6 Special precautions for user.

Transportation is not dangerous.

14.7 Maritime transport in bulk according to IMO instruments.

Transportation is not dangerous.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

The product is not affected by Directive 2012/18/EU (SEVESO III).

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

Classification codes:

Acute Tox. 4: Acute toxicity (Oral), Category 4 Eye Dam. 1 : Serious eye damage, Category 1 Met. Corr. 1: Corrosive to metals, Category 1

(in accordance with Regulation (EU) 2020/878)

Olipes The Professionals' Lubricants

ANTICONGELANTE 50% G12 +

Version 1 Date of compilation: 10/03/2020 Page 11 of 11
Version 18 (replaces version 17) Revision date: 15/02/2023 Print date: 15/02/2023

Skin Corr. 1A: Skin Corrosive, Category 1A

STOT RE 2 : Specific target organ toxicity following a repeated exposure, Category 2

Changes regarding to the previous version:

- Change of the name of the product (SECTION 1.1).
- Change of the uses of the product (SECTION 1.2).
- Modification in the values of the physical and chemical properties (SECTION 9).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

BCF: Bioconcentration factor.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration. PPE: Personal protection equipment. LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

NOEC: No observed effect concentration.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.