

#### **HEADQUARTERS - FACTORY**

P. E. Borondo – Aluminio 2-3 28510 Campo Real (Madrid) - Spain

ESPAÑA - PORTUGAL:

**○** 0034 918 765 244 **○** 0034 918 733 886

@ comercial@olipes.com @ clientes@olipes.com OTHER COUNTRIES:

**○** 0034 918 765 603 **○** 0034 918 733 886

@ export@olipes.com@ exportation@olipes.com

# **MASTERCLEAN AMPER**

# **DESCRIPTION:**

Industrial degreasing product formulated with a balanced mixture of solvents of petroleum origin.

### **PROPERTIES AND ADVANTAGES**

- $\checkmark$  Free from halogen compounds, polynuclear aromatics, and PCBs.
- ✓ High dielectric capacity.
- ✓ Excellent moisture displacement properties.
- ✓ Inoffensive smell.

#### **APPLICATIONS**

- ✓ Especially suitable as dielectric cleaner
- ✓ Cleaning of circuits, electrical panels, and printed circuits.
- Cleaning of motors, windings, alternators, electrical appliances out of voltage, switches, disconnectors, fuse boxes, etc.
- ✓ Degreasing of metal surfaces, parts, electromechanical equipment.

### **TECHNICAL DATA**

PHYSICAL-CHEMICAL PROPERTIES	SPECIFICATION	VALUE
Appearance	Visual	Transparent and colourless liquid
Density at 15 °C (kg/l)	ASTM D-1298	0.77 – 0.79
Flash point, Min. (°C)	ASTM D-93	> 65
Aromatics content, %	SMS 2728	< 0.1
Dielectric constant at 20 °C		2.15
Evaporation rate (Ether = 1)	DIN 53170	800

# **ADVICE / PRECAUTIONS:**

Depending on the type and size of the circuit or element to be cleaned, it can be applied with a brush, spray, or dry cloth. It is recommended that the handling advice displayed on the label of the product and/or on the safety sheet is followed.

## **PRESENTATION:**

20 L bottles and 200 L barrels