



Page 1/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2016 Version number 4 Revision: 14.01.2016

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: STRUB Vulcomet Protection 8040 BF-DW
- · Article number: 30274
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No data available
- · Application of the substance / the mixture Anticorrosion additive
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Strub + Co. AG Swiss Tribology Mühlemattstrasse 5 CH-6260 Reiden

Tel. +41 62 785 22 22 Fax.+41 62 785 22 33 e-Mail: strub@strub-lube.ch

e-Maii: strub@strub-lube.cn Internet: http://www.strub-lube.ch

- · Further information obtainable from: Product Safety Department
- · 1.4 Emergency telephone number:

Schweiz. Toxikologisches Informationszentrum

Freiestrasse 16 CH-8032 Zürich

Tel. +41 44 251 51 51 Kurzwahl Schweiz 145 e-Mail: info@toxi.ch

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

(Contd. on page 2)

Printing date 14.01.2016 Version number 4 Revision: 14.01.2016

Trade name: STRUB Vulcomet Protection 8040 BF-DW

(Contd. of page 1)

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02 GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

Naphtha (petroleum), hydrodesulfurized heavy

· Hazard statements

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 64742-82-1	Naphtha (petroleum), hydrodesulfurized heavy	80-100%	
EINECS: 265-185-4	Flam. Liq. 3, H226 Asp. Tox. 1, H304		
	2-(2-butoxyethoxy)ethanol	1-2.5%	
EINECS: 203-961-6			
CAS: 61789-86-4	Sulfonic acids, petroleum, calcium salts	<1%	
EINECS: 263-093-9			

#### · Additional information:

Composition comments:

Petroleum-derived severely refined mineral-base product in which the polycyclic aromatic hydrocarbons (PCA or PAH) content, measured by IP 346, is less than 3%

(Contd. on page 3)

Printing date 14.01.2016 Version number 4 Revision: 14.01.2016

Trade name: STRUB Vulcomet Protection 8040 BF-DW

(Contd. of page 2)

For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

 $\cdot$  6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- $\cdot$  6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

Printing date 14.01.2016 Version number 4 Revision: 14.01.2016

Trade name: STRUB Vulcomet Protection 8040 BF-DW

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- · Recommended filter device for short term use: Combination filter A-P1
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.


(Contd. on page 5)

Printing date 14.01.2016 Version number 4 Revision: 14.01.2016

Trade name: STRUB Vulcomet Protection 8040 BF-DW

(Contd. of page 4)

· Eye protection:



<b>SECTION 9: Physical and ch</b>	emical properties
· 9.1 Information on basic physical a	and chemical properties
· General Information	
· Appearance:	12. 21
Form: Colour:	Liquid Brown
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	162 ℃
· Flash point:	42 ℃
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	> 270 ℃
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	0.7 Vol %
Upper:	6.4 Vol %
· Vapour pressure at 20 ℃:	3.7 hPa
· Density at 20 ℃:	0.795 g/cm³
· Relative density	Not determined.
<ul><li>Vapour density</li><li>Evaporation rate</li></ul>	Not determined. Not determined.
<u> </u>	Not determined.
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Not miscible.
Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity:	Not determined
Dynamic: Kinematic:	Not determined. Not determined.
	Not determined.
· Solvent content: Organic solvents:	82.0 %
Organic solvents.	UL.U /0

Printing date 14.01.2016 Version number 4 Revision: 14.01.2016

Trade name: STRUB Vulcomet Protection 8040 BF-DW

		(Contd. of page 5)
VOC (EC)	82.00 %	
Solids content:	8.5 %	
· 9.2 Other information	No further relevant information available.	

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

Acute	Acute toxicity based on available data, the classification effects are not met.			
· LD/LC50 values relevant for classification:				
64742-8	64742-82-1 Naphtha (petroleum), hydrodesulfurized heavy			
Oral	LD50	2000 mg/kg (rat)		
Dermal	LD50	2000 mg/kg (rat)		

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard

May be fatal if swallowed and enters airways.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

(Contd. on page 7)

Printing date 14.01.2016 Version number 4 Revision: 14.01.2016

Trade name: STRUB Vulcomet Protection 8040 BF-DW

(Contd. of page 6)

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

14 06 03\* other solvents and solvent mixtures

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.2 UN proper shipping name	
ADR	1993 FLAMMABLE LIQUID, N.O.S. (TURPENTINE SUBSTITUTE), special provisior 640E
IMDG	FLAMMABLE LIQUID, N.O.S. (TURPENTINE SUBSTITUTE)
IATA	Flammable liquid, n.o.s. (Turpentine substitute)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
3	
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	Yes
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	30

Printing date 14.01.2016 Version number 4 Revision: 14.01.2016

Trade name: STRUB Vulcomet Protection 8040 BF-DW

	(Contd. of page 7
· Stowage Category	A
· 14.7 Transport in bulk according to of Marpol and the IBC Code	Annex II  Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3
· Tunnel restriction code	D/E 
<ul><li>· IMDG</li><li>· Limited quantities (LQ)</li><li>· Excepted quantities (EQ)</li></ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S., SPECIAI PROVISION 640E (TURPENTINE SUBSTITUTE), 3, III

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eve irritation.

- · Department issuing MSDS: Product Safety Department
- · Contact: Product Safety Department

(Contd. on page 9)

Printing date 14.01.2016 Version number 4 Revision: 14.01.2016

Trade name: STRUB Vulcomet Protection 8040 BF-DW

(Contd. of page 8)

#### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids, Hazard Category 3
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

· \* Data compared to the previous version altered.

GB