(in accordance with Regulation (EU) 2015/830)

# MASTERCLEAN HAND



Version: 2 Page 1 of 11
Revision date: 25/07/2017 Print date: 07/09/2018

## SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: MASTERCLEAN HAND

## 1.2 Relevant identified uses of the mixture and uses advised against.

Mechanic's Hand Soap

## Uses advised against:

Uses other than those recommended.

## 1.3 Details of the supplier of the safety data sheet.

Company: OLIPES SL

Address: C/ ALUMINIO, 2-3 (Parque Empresarial Borondo)

City: Campo Real - 28510
Province: Madrid (Spain)
Telephone: +0034918765244
Fax: +0034918733886
E-mail: calidad@olipes.com
Web: www.olipes.com

1.4 Emergency telephone number: (Only available during office hours; Monday-Friday; 08:00-18:00)

## **SECTION 2: HAZARDS IDENTIFICATION.**

## 2.1 Classification of the mixture.

In accordance with Regulation (EU) No 1272/2008:

Eye Irrit. 2: Causes serious eye irritation.

## 2.2 Label elements.

## Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:



## Signal Word:

## Warning

H statements:

H319 Causes serious eye irritation.

## P statements:

P264 Wash your hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

## EUH statements:

EUH208 Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1),mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

## Contains:

(in accordance with Regulation (EU) 2015/830)

# **MASTERCLEAN HAND**



 Version: 2
 Page 2 of 11

 Revision date: 25/07/2017
 Print date: 07/09/2018

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1),mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)

## 2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.**

#### 3.1 Substances.

Not Applicable.

## 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification - Regulation (EC) No 1272/2008	
Identifiers	Name	Concentrate	Classification	specific concentration limit
CAS No: 102-71-6 EC No: 203-049-8 Registration No: 01- 2119486482-31-XXXX	[1] 2,2',2"-nitrilotriethanol	1 - 9.99 %	Eye Irrit. 2, H319	-
CAS No: 7320-34-5 EC No: 230-785-7 Registration No: 01- 2119489369-18-XXXX	tetrapotassium pyrophosphate	1 - 9.99 %	Eye Irrit. 2, H319	-
CAS No: 68603-42-9 EC No: 271-657-0	Amides, coco, N,N-bis(hydroxyethyl)	1 - 2.99 %	Eye Dam. 1, H318 - Skin Irrit. 2, H315	-
CAS No: 106-22-9 EC No: 203-375-0 Registration No: 01- 2119453995-23-XXXX	citronellol	0.1 - 0.99 %	Eye Irrit. 2, H319 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-
CAS No: 122-40-7 EC No: 204-541-5	alpha-Amylcinnamic aldehyde (ACA)	0.1 - 0.99 %	Aquatic Chronic 2, H411 - Skin Sens. 1, H317	-
CAS No: 127-51-5 EC No: 204-846-3	alpha-iso-Methylionone	0.1 - 0.99 %	Aquatic Chronic 2, H411 - Skin Sens. 1, H317	-
CAS No: 57082-24-3 EC No: 260-555-1	Caryophyllene acetate	0.1 - 0.99 %	Skin Sens. 1, H317	-
CAS No: 80-54-6 EC No: 201-289-8 Registration No: 01- 2119485965-18-XXXX	p-tert-Butyl-alpha-methylhydrocinnamic aldehyde (BMHCA, Lilial, Lysmeral)	0.1 - 0.99 %	Acute Tox. 4, H302 - Aquatic Chronic 2, H411 - Repr. 2, H361 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-

(in accordance with Regulation (EU) 2015/830)

# MASTERCLEAN HAND



 Version: 2
 Page 3 of 11

 Revision date: 25/07/2017
 Print date: 07/09/2018

- Skin Sens. 1,   H317: C ≥	Index No: 613-167- 00-5 CAS No: 55965-84-9	mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1),mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	0.0015 - 0.0599 %	Acute Tox. 3 *, H311 - Acute Tox. 3 *, H331 - Acute Tox. 3 *, H301 - Aquatic Acute 1, H400 - Aquatic Chronic 1, H410 - Skin Corr. 1B, H314 - Skin Sens. 1,	Skin Corr. 1B, H314: C ≥ 0,6 % Skin Irrit. 2, H315: 0,06 % ≤ C < 0,6 % Eye Irrit. 2, H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1, H317: C ≥
-----------------------------	--	---	----------------------	--	---

<sup>(\*)</sup> The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

## **SECTION 4: FIRST AID MEASURES.**

## 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

#### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

#### Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

#### Skin contact

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

# Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed.

Irritant Product, repeated or prolonged contact with skin or mucous membranes can cause redness, blisters or dermatitis, inhalation of spray mist or particles in suspension may cause irritation of the respiratory tract, some symptoms may not be immediate.

## 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

# **SECTION 5: FIREFIGHTING MEASURES.**

The product is NOT classified as flammable, in case of fire the following measures should be taken:

## 5.1 Extinguishing media.

## Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

# Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

## 5.2 Special hazards arising from the mixture.

## Special risks.

<sup>\*</sup> See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

<sup>[1]</sup> Substance with a Community workplace exposure limit (see section 8.1).

(in accordance with Regulation (EU) 2015/830)

# MASTERCLEAN HAND



Version: 2 Page 4 of 11
Revision date: 25/07/2017 Print date: 07/09/2018

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

#### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

#### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

#### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

## 6.2 Environmental precautions.

Prevent the contamination of drains, surface or subterranean waters, and the ground.

#### 6.3 Methods and material for containment and cleaning up.

Pick up the spill with non-combustible absorbent materials (soil, sand, vermiculite, diatomite, etc.). Pour the product and the absorbent in an appropriate container. The contaminated area should be immediately cleaned with an appropriate decontaminator. Pour the decontaminator on the remains in an opened container and let it act various days until no further reaction is produced.

#### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

### **SECTION 7: HANDLING AND STORAGE.**

# 7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

## 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 35° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

## 7.3 Specific end use(s).

Profesional use only. Automotive, Industry, Transport, Off-Highway Machinery.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.**

## 8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m³
2,2',2"-nitrilotriethanol	102-71-6	España [1]		5	
2,2,2 -1110110011e011a1101	102-71-0	Espana [1]	Short term		

[1] Según la lista de Valores Límite Ambientales de Exposición Profesional adoptados por el Instituto Nacional de Seguridad e Higiene en el Trabajo (INSHT) para el año 2017.

(in accordance with Regulation (EU) 2015/830)

# **MASTERCLEAN HAND**



 Version: 2
 Page 5 of 11

 Revision date: 25/07/2017
 Print date: 07/09/2018

The product does NOT contain substances with Biological Limit Values. Concentration levels DNEL/DMEL:

Name		DNEL/DMEL	Туре	Value
		DNEL (Workers)	Inhalation, Long-term, Local effects	5 (mg/m <sup>3</sup> )
		DNEL (General	Inhalation, Long-term, Local effects	1,25
		population)		(mg/m³)
		DNEL	Inhalation, Long-term, Systemic effects	5 (mg/m³)
2,2',2"-nitrilotriethanol		(Workers)		
CAS No: 102-71-6		DNEL (General	Inhalation, Long-term, Systemic effects	1,25
EC No: 203-049-8		population)		(mg/m³)
		DNEL	Dermal, Long-term, Systemic effects	6,3 (mg/kg
		(Workers)		bw/day)
		DNEL (General	Dermal, Long-term, Systemic effects	3,1 (mg/kg
		population)		bw/day)
		DNEL (General	Oral, Long-term, Systemic effects	13 (mg/kg
tatranatassium nyranhasnhata		population) DNEL	Inhalation, Long-term, Systemic effects	bw/day) 2,79
tetrapotassium pyrophosphate CAS No: 7320-34-5		(Workers)	Initialation, Long-term, Systemic effects	(mg/m <sup>3</sup> )
EC No: 230-785-7		(WOIKEIS)		(ilig/ili <sup>2</sup> )
citronellol		DNEL	Inhalation, Long-term, Systemic effects	161,6
CAS No: 106-22-9		(Workers)	Initiation, Long term, Systemic circus	(mg/m <sup>3</sup> )
EC No: 203-375-0		(Workers)		(1119/111 )
alpha-iso-Methylionone		DNEL	Inhalation, Long-term, Systemic effects	29,4
CAS No: 127-51-5		(Workers)		(mg/m³)
EC No: 204-846-3		,		, 3, ,
p-tert-Butyl-alpha-methylhydrocinnamic ald	ehyde	DNEL	Inhalation, Long-term, Systemic effects	0,44
(BMHCA, Lilial, Lysmeral)	•	(Workers)		(mg/m³)
CAS No: 80-54-6				
EC No: 201-289-8				

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

Concentration levels PNEC:

Name	Details	Value
	aqua (freshwater)	0,32 (mg/L)
	aqua (marine water)	0,032 (mg/L)
	aqua (intermittent releases)	5,12 (mg/L)
2,2',2"-nitrilotriethanol	PNEC STP	10 (mg/L)
CAS No: 102-71-6	sediment (freshwater)	1,7 (mg/kg
EC No: 203-049-8		sediment dw)
LC No. 203 0 15 0	sediment (marine water)	0,17 (mg/kg
		sediment dw)
	soil	0,151 (mg/kg
		soil dw)

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

# 8.2 Exposure controls.

## Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %	
Uses:	Mechanic's Hand Soap	
Breathing protection:		
If the recommended technical measures are observed, no individual protection equipment is necessary.		
Hand protection:		
PPE:	Work gloves.	

(in accordance with Regulation (EU) 2015/830)

# MASTERCLEAN HAND



Version: 2 Page 6 of 11 **Revision date: 25/07/2017** Print date: 07/09/2018

Characteristics: «CE» marking, category I.

CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420

Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible.

Maintenance: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or

adhesives

Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Observations:

Always use with clean, dry hands.

Breakthrough time Material thickness PVC (polyvinyl chloride) > 480 0,35 Material: (min.): (mm):

Eye protection:

PPE: Face shield.

Characteristics: «CE» marking, category II. Face and eye protector against splashing liquid.

CFN standards: EN 165, EN 166, EN 167, EN 168

Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should

Maintenance: be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move

smoothly.

Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm Observations:

vertically once attached to the frame.

Skin protection:

PPE: Protective clothing.

«CE» marking, category II. Protective clothing should not be too tight or loose in Characteristics:

order not to obstruct the user's movements.

CEN standards: FN 340

In order to guarantee uniform protection, follow the washing and maintenance instructions provided by Maintenance:

the manufacturer.

The protective clothing should offer a level of comfort in line with the level of protection provided in Observations:

terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level

of activity and the expected time of use.

PPE: Work footwear.

«CE» marking, category II. Characteristics: CEN standards: EN ISO 13287, EN 20347

This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should Maintenance:

not be used by other people.

Work footwear for professional use includes protection elements aimed at protecting users against any Observations:

injury resulting from an accident

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**

# 9.1 Information on basic physical and chemical properties.

Appearance:Liquid with characteristic odour and colour

Colour: N.A./N.A. Odour:Suave

Odour threshold: N.A./N.A.

pH:7.5 - 8.5

Melting point:-10 °C Boiling Point: N.A./N.A. Flash point: >100 °C Evaporation rate: N.A./N.A.

Inflammability (solid, gas): N.A./N.A. Lower Explosive Limit: N.A./N.A. Upper Explosive Limit: N.A./N.A. Vapour pressure: N.A./N.A. Vapour density: N.A./N.A. Relative density: 1.03 Solubility: Alcoholes, Polares

Liposolubility: Baja Hydrosolubility: Total

Partition coefficient (n-octanol/water): N.A./N.A.

Auto-ignition temperature: N.A./N.A. Decomposition temperature: N.A./N.A.

Viscosity: 300

(in accordance with Regulation (EU) 2015/830)

# **MASTERCLEAN HAND**



 Version: 2
 Page 7 of 11

 Revision date: 25/07/2017
 Print date: 07/09/2018

Explosive properties: N.A./N.A. Oxidizing properties: N.A./N.A.

N.A./N.A. = Not Available/Not Applicable due to the nature of the product

# **9.2 Other information.** Pour point: N.A./N.A. Blink: N.A./N.A.

Kinematic viscosity: N.A./N.A.

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

## **SECTION 10: STABILITY AND REACTIVITY.**

#### 10.1 Reactivity.

The product does not present hazards by their reactivity.

## 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

## 10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

#### 10.4 Conditions to avoid.

Avoid any improper handling.

## 10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

## 10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

## **SECTION 11: TOXICOLOGICAL INFORMATION.**

IRRITANT PREPARATION. Splatters in the eyes can cause irritation.

# 11.1 Information on toxicological effects.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

Splatters in the eyes can cause irritation and reversible damage.

# Toxicological information about the substances present in the composition.

Name	Acute toxicity				
Name	Туре	Test	Kind	Value	
	Oral	LD50	Rat	4000 mg/kg	
tetrapotassium pyrophosphate	Dermal				
CAS No: 7320-34-5 EC No: 230-785-7	Inhalation				
	Oral	LD50	Rat	> 2000 mg/kg bw	
Amides, coco, N,N-bis(hydroxyethyl)	Dermal				
CAS No: 68603-42-9 EC No: 271-657-0	Inhalation				
mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one	Oral	LD50	Rat	53 mg/kg bw [1]	
[EC no. 247-500-7] and 2-methyl-2H -isothiazol- 3-one [EC no. 220-239-6] (3:1),mixture of: 5-	Orai	[1] Mutatio	n Research. Vo	ol. 118, Pg. 129, 1983	
chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no.	Dermal				
220-239-6] (3:1) CAS No: 55965-84-9 EC No:	Inhalation				

(in accordance with Regulation (EU) 2015/830)

# **MASTERCLEAN HAND**



Version: 2

Page 8 of 11 Revision date: 25/07/2017 Print date: 07/09/2018

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Based on available data, the classification criteria are not met.

c) serious eye damage/irritation;

Product classified:

Eye irritation, Category 2: Causes serious eye irritation.

d) respiratory or skin sensitisation;

Based on available data, the classification criteria are not met.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Based on available data, the classification criteria are not met.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

## **SECTION 12: ECOLOGICAL INFORMATION.**

## 12.1 Toxicity.

Name	Ecotoxicity				
Name	Туре	Test	Kind	Value	
Accident and M. N. Hig/hydronyshkyl)	Fish	LC50	Oncorhynchus mykiss	> 1 mg/l (96 h)	
Amides, coco, N,N-bis(hydroxyethyl)	Aquatic invertebrates				
CAS No: 68603-42-9 EC No: 271-657-0	Aquatic plants				
mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6]	Fish	Database (	Formerly: Environmental Fate a	0,19 mg/l (96 h) [1] s 2000. Pesticide Ecotoxicity ental Effects Database nd Effects Division, U.S.EPA,	
(3:1),mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	Aquatic invertebrates	Database (	Formerly: Environmental Fate a	0,056 mg/l (48 h) [1] s 2000. Pesticide Ecotoxicity ental Effects Database nd Effects Division, U.S.EPA,	
	Aquatic plants	EC50	Algae	0,06 mg/l (96 h) [1]	

(in accordance with Regulation (EU) 2015/830)

# **MASTERCLEAN HAND**



 Version: 2
 Page 9 of 11

 Revision date: 25/07/2017
 Print date: 07/09/2018

CAS No: 55965-84-9 EC No:	[1] Office of Pesticide Programs 2000. Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)). Environmental Fate and Effects Division, U.S.EPA, Washington, D.C
---------------------------	--

## 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present. No information is available about persistence and degradability of the product.

## 12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name	Bioaccumulation			
Name	Log Pow	BCF	NOECs	Level
2,2',2"-nitrilotriethanol	4			
CAS No: 102-71-6 EC No: 203-049-8	-1	-	-	
citronellol	4.04			
CAS No: 106-22-9 EC No: 203-375-0	4,04	-	-	
mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1),mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	-0,71	-	-	
CAS No: 55965-84-9 EC No:				

#### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

# 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

# 12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

## **SECTION 13 DISPOSAL CONSIDERATIONS.**

## 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

Waste classification according to the European Waste Catalogue:

15 WASTE PACKAGING, ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED

15 01 packaging (including separately collected municipal packaging waste)

15 01 02 plastic packaging

(in accordance with Regulation (EU) 2015/830)

# MASTERCLEAN HAND



Version: 2 Page 10 of 11
Revision date: 25/07/2017 Print date: 07/09/2018

## **SECTION 14: TRANSPORT INFORMATION.**

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

#### 14.1 UN number.

Transportation is not dangerous.

## 14.2 UN proper shipping name.

Description:

ADR: Transportation is not dangerous. IMDG: Transportation is not dangerous.

ICAO/IATA: Transportation is not dangerous.

#### 14.3 Transport hazard class(es).

Transportation is not dangerous.

## 14.4 Packing group.

Transportation is not dangerous.

## 14.5 Environmental hazards.

Transportation is not dangerous.

#### 14.6 Special precautions for user.

Transportation is not dangerous.

## 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

Transportation is not dangerous.

## **SECTION 15: REGULATORY INFORMATION.**

## 15.1 Safety, health and environmental regulations/legislation specific for the mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

## 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## **SECTION 16: OTHER INFORMATION.**

Complete text of the H phrases that appear in section 3:

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

(in accordance with Regulation (EU) 2015/830)

# MASTERCLEAN HAND



Version: 2 Page 11 of 11
Revision date: 25/07/2017 Print date: 07/09/2018

H411 Toxic to aquatic life with long lasting effects.

## Classification codes:

Acute Tox. 3: Acute toxicity (Dermal), Category 3
Acute Tox. 3: Acute toxicity (Inhalation), Category 3
Acute Tox. 3: Acute toxicity (Oral), Category 3
Acute Tox. 4: Acute toxicity (Oral), Category 4

Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1 Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1 Aquatic Chronic 2 : Chronic effect to the aquatic environment, Category 2

Eye Dam. 1 : Serious eye damage, Category 1 Eye Irrit. 2 : Eye irritation, Category 2 Repr. 2 : Reproductive toxicant, Category 2 Skin Corr. 1B : Skin Corrosive, Category 1B Skin Irrit. 2 : Skin irritant, Category 2 Skin Sens. 1 : Skin sensitiser, Category 1

Sections changed compared with the previous version:

1,2,3,4,5,6,8,11,12,14,16

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

BCF: Bioconcentration factor.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration. PPE: Personal protection equipment. LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

Log Pow: Logarithm of the partition octanol-water. NOEC: No observed effect concentration.

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are

not expected in the environmental compartment.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2015/830. Regulation (EC) No 1907/2006. Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.